

PRINTING**PURPOSE**

Specifies whether the usual tabular output that is generated by most analysis category commands (FIT, SMOOTH, ANOVA, SUMMARY, etc.) should be printed or suppressed.

DESCRIPTION

Many DATAPLOT commands generate some type of alphanumeric output. Many of these are messages simply indicating whether or not the command executed successfully. Other commands print the output from an analysis such as a FIT. The printing of the first type of output is typically controlled by the FEEDBACK switch while the printing of the second type of output is typically controlled by the PRINTING command. Specifically, the PRINTING command controls output generated by the following commands:

ANOVA, BARTLET TEST, CAPABILITY ANALYSIS, CONFIDENCE LIMITS, CHI-SQUARE TEST, LET FUNCTION, LET sub-commands (e.g., ROOTS, INTEGRALS), EXACT RATIONAL FIT, FIT, F TEST, LOWESS, MEDIAN POLISH, DEX PHD, PRE-FIT, RUNS TEST, SMOOTH, SPLINE FIT, SUMMARY, T TEST

SYNTAX

PRINTING <ON or OFF>

where ON specifies that the output should be printed while OFF specifies that it should not be printed.

EXAMPLES

PRINTING ON
PRINTING OFF
PRINTING

NOTE

The PRINTING command with no arguments is equivalent to PRINTING ON.

DEFAULT

The default is printing (i.e., ON).

SYNONYMS

None

RELATED COMMANDS

ECHO	=	Allows or suppresses command echoing.
FEEDBACK	=	Allows or suppresses feedback messages.
PROMPT	=	Allows or suppresses the prompt character.
SET	=	Sets the value of an internal variable (e.g., IPR).
PROBE	=	Displays the value of an internal variable (e.g., IPR).

APPLICATIONS

Alphanumeric output

IMPLEMENTATION DATE

Pre-1987