

FEEDBACK**PURPOSE**

Specifies whether or not the usual feedback messages that are generated by most DATAPLOT commands and by SUBSET/EXCEPT/ FOR qualifications should be printed or suppressed.

SYNTAX

FEEDBACK<ON or OFF>

where ON specifies that feedback messages should be printed while OFF specifies that they are suppressed.

EXAMPLES

```
FEEDBACK ON
FEEDBACK OFF
FEEDBACK
```

NOTE 1

The FEEDBACK command with no arguments is equivalent to FEEDBACK ON.

NOTE 2

The output from LIST, HELP, and STATUS commands is printed regardless of the setting of the FEEDBACK command (this is not true for versions prior to 93/10).

DEFAULT

The default is for feedback messages to be printed.

SYNONYMS

None

RELATED COMMANDS

ECHO	=	Allows or suppresses command echoing.
PRINTING	=	Allows or suppresses analysis output.
PROMPT	=	Allows or suppresses the prompt character.
CAPTURE	=	Redirect alphanumeric output to a file.

IMPLEMENTATION DATE

Pre-1987

PROGRAM

```
LET THETA = SEQUENCE 0 1 380
LET X = SIN(THETA)
MULTILOT 3 4
FRAME OFF
PRE-SORT OFF
FEEDBACK OFF
LOOP FOR K = .1 .1 1.2
  LET Y=SIN(K*THETA)
  XLABEL ^K
  PLOT Y X
END OF LOOP
END OF MULTILOT
FEEDBACK ON
```